Effective on 12/08/04.

PTO/SB/17 (01-08)
Approved for use through 07/31/2008. OMB 0651-0032
U.S. Patent and Trademark office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Complete if Known

· ·		,				10 11 10101011		
Fees pursuant to the Cons			(H.R. 4818).	Application Number	Fathi Has	san Ghorbel	RECEIVED	
FEE I	KANS	MITTAL		Filing Date	Decembe		CENTRAL FAX CE	
F	or FY 2	2006		First Named Inventor		san Ghorbel		
				Examiner Name	R. J. McC		MAK 1 3 201	
Applicant claims sm	nall entity statu	IS See 37 CFR	1.27	Art Unit	3617	<u>-</u>		
TOTAL AMOUNT OF P		(\$) 250	1.27	Attorney Docket No.	1789-086	i03		
					12/07/00			
METHOD OF PAYMENT	(check all the	at apply)						
Creck Cre	edit Card	Money Orde	er 🔲 N	lone Other	(please identif	fy):	······································	
□ Deposit Account	Deposit Accou	unt Number:: 03-2	2769 Deposit	Account Name: Conle	y Rose, P.C.			
	identified depo fee(s) indicate	=	Director is he	reby authorized to: (c Charge fee	•	, ,,	or the filling fee	
		Social as undom		-(c) -				
Charge a	any additional 7 CFR 1.16 an	ree(s) or underparted 1.17	ayments of re	e(s) Credit any	overpayments			
WARNING: Information on			Credit card inf	ormation should not be	included on thi	is form. Provide	credit card information	
and authorization on PTO-				ba a bi t a				
FEE CALCULATION (A 1. BASIC FILING, SEAR			_	iay be subject to a s	urcnarge.)			
I. DAGIO FILING, SEAN	FILING FEE			H FEES	FXAMIN	ATION FEES		
Application Type		Small Entity Fee (\$)	Fee (\$)		Fee (\$)		Fees Paid (\$)	
Utility	300	150	500	250	200	100		
Design	200	100	100	50	130	65		
Plant	200	100	300	150	160	80		
Reissue	300	150	500	250	600	300		
Provisional	200	100	0	0	0	0		
2. EXCESS CLAIM FEE	•						C	
Fee Description	Þ					Fee (\$)	<u>Small Entity</u> Fee (\$)	
Each claim over 20 (incl	hidino Reissii	es)				50	25	
Each independent claim	_	-				200	100	
Multiple dependent clair	•					360	180	
Total Claims				Fee Paid (\$)	Multiple	Multiple Dependent Claims		
	r HP =	х	=		Fee (Fee Paid (\$)	
HP = highest number of Indep, Claims		paid for, if greater	er than 20 Fee (\$)	Fee Paid (\$)				
3 or	HP =	×	=					
HP = highest number of	of independen	t claims paid for,	if greater tha	n 3				
3. APPLICATION SIZE F	ÆE							
If the specification and d 1.52(e)), the application	size fee duc is	s \$250 (\$125 for	paper (exclusion) small entity)	ding electronically fil for each additional 5	cd sequence of the control of the co	r computer list ction thereof.	ings under 37 CFR See	
35 U.S.C. 41(a)(1)(G) ar			.han at	- dallata 1 PA 1	41au 41aa	F (#)	Fac Bald (A)	
<u>Total Sheets</u> - 100 :	Extra Shee			additional 50 or frac (round up to a whole			Fee Pald (\$)	
4. OTHER FEE(S)						E	ees Paid (\$)	
Non-English Specif	ount).							
Other (e.g., late filin	ig surcharge):	Appeal Bri	<u>ief</u>			\$2	<u>250</u>	
SUBMITTED BY	7/	7/0/	71					
Signature	Vanue	WAY		egistration No. ttomey/Agent) 36,9	62 Te	lephone (71	3) 238-8000	
Name (Print/Type) Map	cella D. Watk	ins	V		Da	ite Ma	rch 13, 2006	
. ,, ,, ,								

170921.011789.08603 170921.011789.08603
This collect on of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) are application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Depart nent of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED CENTRAL FAX CENTER

FAX TRANSMITTAL COVER SHEET

MAR 1 3 2006

TO:

U. S. Patent and Trademark Office

Attn: Mail Stop APPEAL Examiner R.J. McCarry, Jr.

FAX NO.:

(571) 273-8300

DATE:

March 13, 2006

FROM:

Marcella D. Watkins 36,962

Conley Rose, P.C.

7100 JPMorgan Chase Tower

TELEPHONE:

(713) 238-8000

600 Travis Street

Houston, Texas 77002-2912

FAX:

(713) 238-8008

CLIENT NO.: 1789-08603

TOTAL NUMBER OF PAGES (INCLUDING THIS ONE) 16

COMMENTS: Re:

U.S. Patent Application Serial No. 10/730,233

Applicant: Fathi Hassan Ghorbel et al.

The following documents are attached for filing:

Fee Transmittal (1 p.); Appeal Brief (14 p.)

CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8(a))

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being sent by facsimile transmission on the date shown below to (571) 273-8300 (fax number), the U.S. Patent and Trademark Office, in accordance with 37 CFR § 1.6(d).

Date: March 13, 2006

Sandra K. Begley
(Type or print name of person mailing paper)

(Signature of person mailing paper)

This facsimile and the information it contains is intended to be a confidential communication only to the person or entity to whom it is addressed. If you have received this facsimile in error, please notify us by telephone.

170918.01/1789.08603

RECEIVED CENTRAL FAX CENTER

mail 1 3 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Fathi Hassan Ghorbel et al.§ Confirmation No.: 2522 Applicant:

Serial No.: 10/730,233 Group Art Unit: 3617

Filed: December 8, 2003 Examiner: R. J. McCarrry Jr.

<u>aaaaaaaaa</u> **Autonomous Robotic Crawler** For: Docket No.: 1789-08603

for In-Pipe Inspection

APPEAL BRIEF

Date: March 13, 2006

Mail Stop Appeal Brief - Patents **Commissioner for Patents** PO Box 1450 Alexandria, VA 22313-1450

Sir:

Appellant hereby submits this Appeal Brief in connection with the above-identified application. A Notice of Appeal was filed via facsimile on January 11, 2006.

03/15/2006 EFLORES 00000128 032769 10730233

01 FC:2402

250.00 DA

TABLE OF CONTENTS

1.	REAL PARTY IN INTEREST	3
II.	RELATED APPEALS AND INTERFERENCES	3
III.	STATUS OF THE CLAIMS	3
IV.	STATUS OF THE AMENDMENTS	3
V.	SUMMARY OF THE CLAIMED SUBJECT MATTER	4
VI.	GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	4
VII.	ARGUMENT	5
	Claims 1-6, 11, and 12	5
	Claims 15-19 and 24	5
VIII.	CLAIMS APPENDIX	8
IX.	EVIDENCE APPENDIX	13
Χ.	RELATED PROCEEDINGS APPENDIX	14

I. REAL PARTY IN INTEREST

The real party in interest is the William Marsh Rice University ("Rice"), a non-profit university, having its principal place of business in Houston, Texas. The Assignment from the inventor to Rice was recorded on May 10, 2004, at Reel/Frame 014614/0805.

RELATED APPEALS AND INTERFERENCES 11.

Appellant is unaware of any related appeals or interferences.

111. STATUS OF THE CLAIMS

Originally filed claims:

1-26.

Claim cancellations:

2.

Added claims:

None.

Presently pending claims: 1 and 3-26.

Presently allowed claims: 7-10 and 20-23.

Presently objected to claims

(allowable if rewritten in

independent form):

None.

Presently appealed claims: 1-6, 11-19, and 24-26.

STATUS OF THE AMENDMENTS IV.

An After-Final amendment was submitted on November 10, 2005. The After-Final arriendment was not entered.

V. SUMMARY OF THE CLAIMED SUBJECT MATTER

In accordance with at least one embodiment of the invention, a robotic pipe crawler is disclosed. An exemplary embodiment of a pipe crawler is shown in Figure 1 and described in the associated text in at least pages 4-6 of Appellant's disclosure. The autonomous robot comprises:

a first section having a plurality of pitched wheels that are each positioned at a different point along the length of the robot;

a second section rotatably connected to said first section and having a plurality of wheels aligned parallel to the longitudinal axis of the conduit; and

means for causing rotation of one of said first and second sections relative to the other of said first and second sections.

Because of the presence of the pitched and non-pitched wheels on their respective sections, relative rotation of the first and second sections causes the robot to advance within a pipe.

In some embodiments, at least one wheel is moveable between a first position in which all of the wheels on the same section contact the conduit and a second position in which at least one of said of the wheels is retracted.

In other embodiments, at least one component of the robot has an outer diameter that substantially corresponds to the inside surface of the conduit and the robot includes at least one internal passageway that allows fluid to flow along the length of the robot without having to pass between said at least one component and the inside surface of the conduit.

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Whether claims 1-6, 11, 12, 15-19 and 24 are anticipated under 35 U.S.C. § 102(b) by Simpson (U.S. Pat. No. 5,649,603).

Whether claims 13, 14, 25 and 26 are obvious under 35 U.S.C. § 103(a) over Simpson in view of Ng et al. (U.S. Pat. No. 6,162,171).

The Examiner concluded that claims 7-10 and 20-23 contain allowable subject matter and thus such claims are not at issue in this appeal.

Page 4 of 14

VII. ARGUMENT

The appealed claims stand or fall together.

Claims 1-6, 11, and 12

Appellant has grouped these claims together for purpose of this appeal. However, that these claims have been grouped together should not be used to construe the scope of the claims or the limitations contained therein. Differences in scope and limitation meaning may exist apart from the issues raised in this appeal. Appellant selects independent claim 1 as representative of this group.

Claim 1 requires that <u>each</u> of the pitched wheels be positioned at a different point along the length of the robot. In support of his assertion that Simpson anticipates claim 1, the Examiner states:

Sets of pitched wheels are positioned at different points along the length of the vehicle. As shown in Figure 10, there is a set of wheels on section 808 and another set on section 812. On each section 808 and 812, the wheels are positioned at different points around the axis of the vehicle. The wheels are also positioned in the same azimuthal position about the vehicle.

Notably, the Examiner does not state that Simpson includes pitched wheels that are <u>each</u> <u>positioned at a different point along the length of the robot</u>, as required by claim 1. This is because Simpson teaches <u>only</u> sets of pitched wheels, i.e. groups of two or more pitched wheels that are positioned at <u>the same axial location</u>. All of the wheels of Simpson are grouped in sets and all of the wheels in each set are positioned at the same point along the length of the robot. Thus, Simpson clearly cannot support an anticipation rejection. For these reasons, the Examiner erred in rejecting claim 1 over Simpson.

The Examiner also used Simpson to reject some of the claims as obvious. Ng does not satisfy the deficiencies of Simpson explained herein. Based on the foregoing, Appellant respectfully submits that the rejections of the claims in this first grouping be reversed, and the claims set for issue.

Claims 15-19 and 24

Appellant has grouped these claims together for purpose of this appeal. However, that these claims have been grouped together should not be used to construe the scope of the claims or the limitations contained therein. Differences in scope and limitation

meaning may exist apart from the issues raised in this appeal. Appellant selects independent claim 15 as representative of this group.

Independent claim 15 requires that <u>each</u> of the pitched wheels be positioned at a different point along the length of the robot. As explained above, none of the cited art discloses of this limitation. For at least this reason, the Examiner erred in rejecting claim 15. Based on the foregoing, Appellant respectfully submits that the rejections of the claims in this second grouping be reversed, and the grouping set for issue.

The Examiner also used Simpson to reject claims 16-19 and 24 as obvious. Ng does not satisfy the deficiencies of Simpson explained herein. Based on the foregoing, Appellant respectfully submits that the rejections of the claims in this first grouping be reversed, and the claims set for issue.

Interview and After-final Amendment

Because Appellants believe that the pending claims are clearly distinguishable over the art of record, Appellants submitted an after-final amendment intended to emphasize the distinctions over the art. Upon submitting this amendment, however, Appellants were advised that it would not be entered on the ground that it is redundant. Appellants agree that it is redundant.

Appellants respectfully submit that the claims in the present form, i.e. without the after-final amendment, are distinguishable and patentable over the art.

Conclusion

For the reasons stated above, Appellant respectfully submits that the Examiner erred in rejecting all pending claims. It is believed that no extensions of time or fees are required, beyond those that may otherwise be provided for in documents accompanying this paper. However, in the event that additional extensions of time are necessary to allow consideration of this paper, such extensions are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required (including fees for net addition of claims) are hereby authorized to be charged to Deposit Account No. 03-2769.

Respectfully submitted,

Marcella D. Watkins

Reg. No. 36,962

CONLEY ROSE, P.C. (713) 238-8000 (Phone)

(713) 238-8008 (Fax)

ATTORNEY FOR APPELLANT

VIII. CLAIMS APPENDIX

- 1. (Currently amended) An autonomous robot for traversing a conduit comprising:
 - a first section having a plurality of pitched wheels, said pitched wheels being oriented such that each of their axes defines a pitch angle greater than zero degrees and less than ninety degrees with respect to the longitudinal axis of the conduit each of said pitched wheels being positioned at a different point along the length of the robot;
 - a second section rotatably connected to said first section, said second section having a plurality of wheels aligned parallel to the longitudinal axis of the conduit; and
 - means for causing rotation of one of said first and second sections relative to the other of said first and second sections;

wherein said relative rotation of said first and second sections provides locomotive motion of the robot.

2. Canceled.

- (Currently amended) The robot according to claim 1 wherein <u>each of said pitched</u> wheels <u>is are positioned</u> at <u>a different azimuthal position points about the axis of the robot.
 </u>
- 4. The robot according to claim 1 wherein at least two of said pitched wheels are positioned at the same azimuthal position about the axis of the robot.
- 5. The robot according to claim 1 wherein said pitched wheels define at least one helical row.
- 6. The robot according to claim 5 wherein adjacent pitched wheels are spaced 180 degrees apart about the axis of the robot.

- 7. (Currently amended) An autonomous robot for traversing a conduit comprising:
 - a first section having a plurality of pitched wheels, said pitched wheels being oriented such that each of their axes defines a pitch angle greater than zero degrees and less than ninety degrees with respect to the longitudinal axis of the conduit;
 - a second section rotatably connected to said first section, said second section having a plurality of wheels aligned parallel to the longitudinal axis of the conduit; and

means for causing rotation of one of said first and second sections relative to the other of said first and second sections;

wherein said relative rotation of said first and second sections provides locomotive motion of the robot; and

The robot-according to claim 1 wherein at least one wheel is moveable between a first position in which all of said wheels on the same section contact said conduit and a second position in which at least one of said of said wheels is retracted.

- 8. (Original) The robot according to claim 7 wherein the retraction distance of said at least one wheel is equal to at least one-third the diameter of the wheel.
- 9. (Original) The robot according to claim 8 wherein the retraction distance of said at least one wheel is equal to at least one-half the diameter of the wheel.
- 10. (Original) The robot according to claim 8 wherein the retraction distance of said at least one wheel is such that the diameter of the robot is decreased by at least 20 percent upon wheel retraction.
- 11. (Original) The robot according to claim 1 wherein said wheels have notched traction surfaces.

- 12. The robot according to claim 1 wherein at least one component of the robot has an outer diameter that substantially corresponds to the inside surface of the conduit and the robot includes at least one internal passageway that allows fluid to flow along the length of the robot without having to pass between said at least one component and the inside surface of the conduit.
- 13. The robot according to claim 1, further comprising at least two optical encoders.
- 14. The robot according to claim 1 wherein the robot is no more than six inches in diameter.
- 15. An autonomous robot for traversing a conduit comprising:

a body; and

a drive system capable of extracting energy from a flow of fluid through the conduit and using the energy to advance the body along the inside of the conduit, said drive system including at least one set of pitched wheels mounted on said body, each of said pitched wheels being positioned at a different point along the length of the robot;

wherein at least one component of the robot has an outer diameter that substantially corresponds to the inside surface of the conduit and the robot includes at least one internal passageway that allows fluid to flow along the length of the robot without having to pass between said at least one component and the inside surface of the conduit.

- 16. The robot according to claim 15 wherein said drive system includes a plurality of pitched wheels that are each positioned at a different point along the length of the robot.
- 17. The robot according to claim 16 wherein said pitched wheels are each positioned at a different point about the axis of the robot.

- 18. The robot according to claim 16 wherein said pitched wheels define at least one helical row.
- 19. The robot according to claim 18 wherein adjacent pitched wheels are spaced 180 degrees apart about the axis of the robot.
- 20. (Currently amended) An autonomous robot for traversing a conduit comprising: a body; and

a drive system capable of extracting energy from a flow of fluid through the conduit and using the energy to advance the body along the inside of the conduit, said drive system including at least one set of pitched wheels mounted on said body;

wherein at least one component of the robot has an outer diameter that substantially corresponds to the inside surface of the conduit and the robot includes at least one internal passageway that allows fluid to flow along the length of the robot without having to pass between said at least one component and the inside surface of the conduit; and

The robot according to claim 15 wherein at least one wheel is moveable between a first position in which all of said wheels on the same section contact said conduit and a second position in which at least one of said of said wheels is retracted.

- 21. The robot according to claim 20 wherein the retraction distance of said at least one wheel is equal to at least one-third the diameter of the wheel.
- 22. The robot according to claim 21 wherein the retraction distance of said at least one wheel is equal to at least one-half the diameter of the wheel.

- 23. The robot according to claim 22 wherein the retraction distance of said at least one wheel is such that the diameter of the robot is decreased by at least 20 percent upon wheel retraction.
- 24. The robot according to claim 15 wherein said wheels have notched traction surfaces.
- 25. The robot according to claim 15, further comprising at least two optical encoders.
- 26. The robot according to claim 19 wherein the robot is no more than six inches in diameter.

IX. EVIDENCE APPENDIX

In order to facilitate an understanding of the arguments presented herein the phrases used in the present claims are illustrated below:

- "along the length of the robot" refers to distance from one end of the robot as shown below $\begin{array}{c|c} 1 & 2 \\ \hline & ---- \end{array}$
- "azimuthal position" refers to angular position around the axis of the robot, as shown below

 2

 axis

X. RELATED PROCEEDINGS APPENDIX None.